Volume 189 1990

Table of contents

No. 1 1–204 issued on April 20, 1990
No. 2 205–462 issued on April 30, 1990
No. 3 463–698 issued on May 20, 1990

Reviews

Current approaches to macromolecular crystallization
A. McPherson 1– 23

Protein kinase C and T cell activation
N. Berry and Y. Nishizuka 205–214

Nucleic acids, protein synthesis and molecular genetics

A highly repetitive and transcribable sequence in the tortoise genome is probably a retroposon
H. Endoh, S. Nagahashi and N. Okada 25– 31

The Semliki-Forest-virus-specific nonstructural protein nsP4 is an autoproteinase
K. Takkinen, J. Peränen, S. Keränen, H. Söderlund and L. Kääriäinen 33– 38

Identification of three developmentally controlled isoforms of human myosin heavy chains
E. Bober, A. Buchberger-Seidl, T. Braun, S. Singh, H. W. Goedde and H. H. Arnold 55– 65

Methylation of 23S ribosomal RNA due to *carB*, an antibiotic-resistance determinant from the carbomycin producer *Streptomyces thermotolerans*
M. Zalacain and E. Cundliffe 67– 72

The complete amino acid sequence of the *Clostridium botulinum* type A neurotoxin, deduced by nucleotide sequence analysis of the encoding gene
D. E. Thompson, J. K. Brehm, J. D. Oultram, T.-J. Swinfield, C. C. Shone, T. Atkinson, J. Melling and N. P. Minton 73– 81

Translational regulation of M13 gene II protein by its cognate single-stranded DNA binding protein
G. J. R. Zaman, J. G. G. Schoenmakers and R. N. H. Konings 119–124

Isolation and characterization of a cDNA encoding porcine gastric haptocorrin
J. E. Hewitt, B. Seetharam, J. Leykam and D. H. Alpers 125–130

The cDNA and protein sequences of mouse lactate dehydrogenase B – Molecular evolution of vertebrate lactate dehydrogenase genes A (muscle), B (heart) and C (testis)
B. Y. Hiraoka, F. S. Sharief, Y.-W. Yang, W.-H. Li and S. S.-L. Li 215–220

The conformation of single-stranded nucleic acids – tDNA *versus* tRNA
J. Paquette, K. Nicoghosian, G. Qi, N. Beauchemin and R. Cedergren 259–265

Escherichia coli DNA helicase I – Characterization of the protein and of its DNA-binding properties
I. Benz and H. Müller 267–276

Electron microscopy of DNA · helicase-I complexes in the act of strand separation
R. Wessel, H. Müller and H. Hoffmann-Berling 277–285

Type 5 acid phosphate – Sequence, expression and chromosomal localization of a differentiation-associated protein of the human macrophage
D. K. Lord, N. C. P. Cross, M. A. Bevilacqua, S. H. Rider, P. A. Gorman, A. V. Groves, D. W. Moss, D. Sheer and T. M. Cox 287–293

A point mutation in the tyrosine gene of BALB/c albino mouse causing the cysteine → serine substitution at position 85
S. Shibahara, S. Okinaga, Y. Tomita, A. Takeda, H. Yamamoto, M. Sato and T. Takeuchi 455–461

Human epithelial tumor antigen cDNA sequences – Differential splicing may generate multiple protein forms
D. H. Wreschner, M. Hareuveni, I. Tsarfaty, N. Smorodinsky, J. Horev, J. Zaretsky, P. Kotkes, M. Weiss, R. Lathe, A. Dion and I. Keydar 463–473

A transcribed gene, containing a variable number of tandem repeats, codes for a human epithelial tumor antigen – cDNA cloning, expression of the transfected gene and overexpression in breast cancer tissue
M. Hareuveni, I. Tsarfaty, J. Zaretsky, P. Kotkes, J. Horev, S. Zrihan, M. Weiss, S. Green, R. Lathe, I. Keydar and D. H. Wreschner 475–486

Protein chemistry and structure

Protease resistance of the β subunit of the hamster fibronectin receptor – Evidence for differential cleavage of membrane-bound and soluble receptor
M. M. Sczekan and R. L. Juliano 83– 87

Spinach cytosolic fructose-1,6-bisphosphatase – Purification, enzyme properties and structural comparisons
U. S. Ladror, S. P. Latshaw and F. Marcus 89– 94

Vinculin is a permanent component of the membrane skeleton and is incorporated into the (re)organising cytoskeleton upon platelet activation
G. M. Asijee, A. Sturk, T. Bruin, J. M. Wilkinson and J. W. Ten Cate 131–136

Affinity labelling of a partially purified ecdysteroid receptor with a bromoacetylated 20-OH-ecdysone derivative
M. Strangmann-Diekmann, A. Klöne, A. Ożyhar, F. Kreklau, H.-H. Kiltz, U. Hedtmann, P. Welzel and O. Pongs 137–143

Structure–function relationships in the polypeptide cardiac stimulant, anthopleurin-A – Effects of limited proteolysis by trypsin
A. R. Gould, B. C. Mabbutt and R. S. Norton 145–153

Structural features of neutral protease from *Bacillus subtilis* deduced from model-building and limited proteolysis experiments
G. Signor, C. Vita, A. Fontana, F. Frigerio, M. Bolognesi, S. Toma, R. Gianna, E. De Gregoriis and G. Grandi 221–227

The effect of von Willebrand factor on activation of factor VIII by factor Xa
J. A. Koedam, R. J. Hamer, N. H. Beeser-Visser, B. N. Bouma and J. J. Sixma 229–234

Spin-equilibrium and heme-ligand alteration in a high-potential monoheme cytochrome (cytochrome c_{554}) from *Achromobacter cycloclastes*, a denitrifying organism
L. M. Saraiva, M. Y. Liu, W. J. Payne, J. Legall, J. J. G. Moura and I. Moura 333–341

Multiple fatty acid binding to albumin in human blood plasma
R. Brodersen, S. Andersen, H. Vorum, S. U. Nielsen and A. O. Pedersen 343–349

Two-dimensional ^{1}H-NMR studies of horseradish peroxidase C and its interaction with indole-3-propionic acid
N. C. Veitch and R. J. P. Williams 351–362

Limited proteolysis of β_2-microglobulin at Lys-58 by complement component C1s
M. H. Nissen, P. Roepstorff, L. Thim, B. Dunbar and J. E. Fothergill 423–429

Role of the C-terminal region in the allosteric properties of *Escherichia coli* phosphofructokinase-1
M.-C. Serre and J.-R. Garel 487–492

Intrinsic tryptophan fluorescence measurements suggest that polyactosaminyl glycosylation affects the protein conformation of the gelatin-binding domain from human placental fibronectin
B. C. R. Zhu, R. A. Laine and M D. Barkley 509–516

On the domain construction of the multienzyme gramicidin S synthetase 2 – Isolation of domains activating valine and leucine
H.-J. Skarpeid, T.-L. Zimmer and H. von Döhren 517–522

Unusual proteolysis of the protoxin and toxin from *Bacillus thuringiensis* – Structural implications
C. T. Xhoma, W. K. Surewicz, P. R. Carey, M. Pozsgay, T. Raynor and H. Kaplan 523–527

Divalent cation binding to reduced and octanoyl acyl-carrier protein
D. M. Tener and K. H. Mayo 559–565

^{1}H-NMR study of heme propanoate mobility in the active site of myoglobin from *Galeaorhinus japonicus*
Y. Yamamoto, Y. Inoue, R. Chûjô and T. Suzuki 567–573

Reactivation of 3-phosphoglycerate kinase from its unfolded proteolytic fragments
M. Vas, M. A. Sinev, N. V. Kotova and G. V. Semisotnov 575–579

Structural and catalytic properties of oxidized and reduced chloroplast NADP–malate dehydrogenase upon denaturation and renaturation
R. Scheibe, R. Rudolph, W. Reng and R. Jaenicke 581–587

Secondary and tertiary structure characteristics of *Megasphaera elsdenii* flavodoxin in the reduced state as determined by two-dimensional ^{1}H NMR
C. P. M. van Mierlo, F. Müller and J. Vervoort 589–600

Characteristics and *in vivo* occurrence of type VIII collagen
R. Jander, E. Korsching and J. Rauterberg 601–607

Assignment of tyrosine resonances in the ^{1}H-NMR spectrum of tryptophan synthase α-subunit – Monitoring conformational changes due to substitutions at position 49
S. Sawada, H. Akutsu, K. Ogasahara and K. Yutani 667–673

Enzymology

Purification, characterization and inhibition of D-3-aminoisobutyrate aminotransferase from the rat liver
N. Tamaki, M. Kaneko, C. Mizota, M. Kikugawa and S. Fujimoto 39–45

Purification and characterization of heme oxygenase from chick liver – Comparison of the avian and mammalian enzymes
H. L. Bonkovsky, J. F. Healey and J. Pohl 155–166

Synthetic peptides as model substrates for the study of the specificity of the polycation-stimulated protein phosphatases
P. Agostinis, J. Goris, L. A. Pinna, F. Marchiori, J. W. Perich, H. E. Meyer and W. Merlevede 235–241

Characterization and activation of procollagenase from human polymorphonuclear leucocytes – N-terminal sequence determination of the proenzyme and various proteolytically activated forms
V. Knäuper, S. Krämer, H. Reinke and H. Tschesche 295–300

Presence and characterization of glycolipid sulfotransferase in human cancer serum
S. Gasa, M.-T. Casl, A. Makita, N. Sakakibara, T. Koyanagi and T. Atsuta 301–306

4-Phenyl-3-butenoic acid, an *in vivo* inhibitor of peptidylglycine hydroxylase (peptide amidating enzyme)
A. F. Bradbury, J. Mistry, B. A. Roos and D. G. Smyth 363–368

Selective purification of sex-influenced esterase from rat serum by immunoaffinity chromatographies
T. Hirose, A. Morita, M. Yamada, H. Nikaido, J. Hayakawa and O. Nikaido 431–435

Interaction of hemin with placental glutathione transferase
A. M. Caccuri, A. Aceto, F. Piemonte, C. Di Ilio, N. Rosato and G. Federici 493–497

Identification of distinct NAD-linked hydrogenase protein species in mutants and nickel-deficient wild-type cells of *Alcaligenes eutrophus* H16
S. Hornhardt, K. Schneider, B. Friedrich, B. Vogt and H. G. Schlegel 529–537

Purification and properties of carnitine acetyltransferase from human liver
W. Bloisi, I. Colombo, B. Garavaglia, R. Giardini, G. Finocchiaro and S. Didonato 539–546

Carbohydrates, lipids and other natural products

Structural and immunological properties of the phenolic glycolipids from *Mycobacterium gastri* and *Mycobacterium kansasii*
M. Gilleron, A. Venisse, J.-J. Fournie, M. Riviere, M.-A. Dupont, N. Gas and G. Puzo 167–173

Structure determination of the major N- and O-linked carbohydrate chains of the β subunit from equine chorionic gonadotropin
J. B. L. Damm, K. Hård, J. P. Kamerling, G. W. K. van Dedem and J. F. G. Vliegenthart 175–183

Bacteriophage-associated glycan hydrolases specific for *Escherichia coli* capsular serotype K12
F. Altmann, R. Christian, T. Czerny, W. Nimmich and L. März 307–312

Three-dimensional structure of the oligosaccharide terminus of globotriaosylceramide and isoglobotriaosylceramide in solution — A rotating-frame NOE study using hydroxyl groups as long-range sensors in conformational analysis by ^{13}H-NMR spectroscopy
L. Poppe, J. Dabrowski, C.-W. von der Lieth, K. Koike and T. Ogawa 313–325

In vitro hydrolysis of oligomannosyl oligosaccharides by the lysosomal α-D-mannosidases
J.-C. Michalski, J.-F. Haeuw, J.-M. Wieruszeski, J. Montreuil and G. Strecker 369–379

Microscale sequencing of O-linked oligosaccharides using mild periodate oxidation of alditols, coupling to phospholipid and TLC-MS analysis of the resulting neoglycolipids
M. S. Stoll, E. F. Hounsell, A. M. Lawson, W. Chai and T. Feizi 499–507

Physical and inorganic biochemistry

Spectroscopic and kinetic aspects of *Elephas maximus* hemoglobin
J. J. Stephanos and A. W. Addison 185–191

The iron-sulfur centers of the soluble [NiFeSe] hydrogenase, from *Desulfovibrio baculatus* (DSM 1743) — EPR and Mössbauer characterization
M. Teixeira, I. Moura, G. Fauque, D. V. Dervartanian, J. Legall, H. D. Peck, Jr., J. J. G. Moura and B. H. Huynh 381–386

Membranes and bioenergetics

Functional and structural analysis of photosystem II core complexes from spinach with high oxygen evolution capacity
E. Haag, K.-D. Irrgang, E. J. Boekema and G. Renger 47–53

Kinetics of photosynthetic electron transfer in artificial vesicles reconstituted with purified complexes from *Rhodobacter capsulatus* — II. Direct electron transfer between the reaction center and the bc_1 complex and role of cytochrome c_2
G. Venturoli, N. Gabellini, D. Oesterhelt and B. A. Melandri 95–103

Kinetics of photosynthetic electron transfer in artificial vesicles reconstituted with purified complexes from *Rhodobacter capsulatus* — I. The interaction of cytochrome c_2 with the reaction center
G. Venturoli, B. A. Melandri, N. Gabellini and D. Oesterhelt 105–112

Dibucaine interaction with phospholipid vesicles — A resonance energy-transfer study
A. Coutinho, J. Costa, J. L. Faria, M. N. Berberan-Santos and M. J. E. Prieto 387–393

Binding of ADP and adenosine 5′-[β,γ-imido]triphosphate to insect flight muscle fibrils
J. A. Biosca, E. Eisenberg, M. C. Reedy and M. K. Reedy 395–399

DNA sequence of a citrate carrier of *Klebsiella pneumoniae*
M. E. van der Rest, E. Schwarz, D. Oesterhelt and W. N. Konings 401–407

A 136-amino-acid-residue COOH-terminal fragment of colicin A is endowed with ionophoric activity
D. Baty, J. Lakey, F. Pattus and C. Lazdunski 409–413

The H^+-ATPase of the plasma membrane from yeast — Kinetics of ATP hydrolysis in native membranes, isolated and reconstituted enzymes
A. Wach, J. Ahlers and P. Gräber 675–682

Metabolism and metabolic regulation

Reconstitution of photophosphorylation in EDTA-treated thylakoids by added chloroplast coupling factor 1 (ATPase) and chloroplast coupling factor 1 lacking the δ subunit — Structural or functional?
S. Engelbrecht, G. Althoff and W. Junge 193–197

Further studies on the role of glycogenin in glycogen biosynthesis
C. Smythe, P. Watt and P. Cohen 199–204

De novo synthesis of uracil nucleotides in mouse liver and intestine studied using [^{15}N]alanine
D. W. Zaharevitz, L. W. Anderson, J. M. Strong, R. Hyman and R. L. Cysyk 437–440

Regulation of mannose 6-phosphate/insulin-like growth factor II receptor distribution by activators and inhibitors of protein kinase C
T. Braulke, S. Tippmer, H.-J. Chao and K. von Figura 609–616

Rates of RNA degradation in isolated rat hepatocytes — Effects of amino acids and inhibitors of lysosomal function
S. Balavoine, G. Feldmann and B. Lardeux 617–623

Signal transduction and molecular neurobiology

Targetting of protein phosphatase 1 to the sarcoplasmic reticulum of rabbit skeletal muscle by a protein that is very similar or identical to the G subunit that directs the enzyme to glycogen
M. J. Hubbard, P. Dent, C. Smythe and P. Cohen 243–249

Activation of multiple signal transduction pathways by endothelin in cultured human vascular smooth muscle cells
T. J. Resink, T. Scott-Burden and F. R. Bühler 415–421

Mechanism of stimulation of cyclic-GMP level in a neuronal cell line mediated by serotonin ($5\text{-}HT_3$) receptors — Involvement of nitric oxide, arachidonic-acid metabolism and cytosolic Ca^{2+}
G. Reiser 547–552

Characterisation and visualisation of [^{3}H]dermorphin binding to μ opioid receptors in the rat brain — Combined high selectivity and affinity in a natural peptide agonist for the morphine (μ) receptor
M. Amiche, S. Sagan, A. Mor, D. Pelaprat, W. Rostene, A. Delfour and P. Nicolas 625–635

Enhancement of tyrosine kinase activity of the *Drosophila* epidermal growth factor receptor homolog by alterations of the transmembrane domain
R. J. Wides, N. B. Zak and B.-Z. Shilo 637–645

Molecular cell biology

Fate of interleukin-6 in the rat — Involvement of skin in its catabolism
J. Castell, J. Klapproth, V. Gross, E. Walter, T. Andus, L. Snyers, J. Content and P. C. Heinrich 113–118

Casein kinase II is elevated in solid human tumours and rapidly proliferating non-neoplastic tissue
U. Münstermann, G. Fritz, G. Seitz, L. Yiping, H. R. Schneider and O.-G. Issinger 251–257

Strikingly low ATPase activities in flagellar axonemes of a *Chlamydomonas* mutant missing outer dynein arms
O. Kagami and R. Kamiya 441–446

Apolipoprotein E expression by human-monocyte-derived macrophages — Modulation by opsonised zymosan and cholesterol
M. Rouis, F. Nigon, T. L. Eggerman, H. B. Brewer Jr and M. J. Chapman 447–453

Hydrogen peroxide activates immediate binding of a *Drosophila* factor to DNA heat-shock regulatory element *in vivo* and *in vitro*
J. Becker, V. Mezger, A.-M. Courgeon and M. Best-Belpomme 553–558

Guaninenucleotides and Ca^{2+}-dependent lysosomal secretion in electro-permeabilised human platelets
C. M. Athayde and M. C. Scrutton 647–655

Calcium-dependent distance changes in binary and ternary complexes of troponin
H.-D. Schulzki, B. Kramer, J. Fleischhauer, D. A. Mercola and A. Wollmer 683–692

Developmental biochemistry and immunology

Tissue distribution of avidin and streptavidin injected to mice — Effect of avidin carbohydrate, streptavidin truncation and exogenous biotin
B. Schechter, R. Silberman, R. Arnon and M. Wilchek 327–331

Analysis of a soluble mutant des-methionine interleukin-2 receptor α chain (Tac protein) produced by transfected mammalian cells
T. Beckers, H. Hauser, D. Hüsken and J. W. Engels 657–665

Information for authors 693–697

Indexed in *Current Contents*